

# REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 2 June 1992	3. REPORT TYPE AND DATES COVERED Final Report, 5-7 May 1992	
4. TITLE AND SUBTITLE Seminar on Stress-Turbine and Compressor Blades			5. FUNDING NUMBERS F6170892W0503	
6. AUTHOR(S) Prof. Dr. Wieslaw Ostachowicz				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Institute of Fluid Flow Machinery Polish Academy of Sciences ul Gen J. Fiszer 14 8—952 Gdansk, Poland			8. PERFORMING ORGANIZATION REPORT NUMBER SPC-92-4012	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) EOARD PSC 802 BOX 14 FPO AE 09499-0200			10. SPONSORING/MONITORING AGENCY REPORT NUMBER SPC-92-4012	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  Prof. Ostachowicz presented a seminar to the Aeropropulsion Laboratory, Dayton, Ohio on 5 May 1992 concerning: stress-strain analysis of a turbine blade root, vibrations of turbine and compressor blades, stiffness matrices of cracked finite elements, and vibrations of a cracked rotor and a cracked turbine blade.				
<div data-bbox="347 1436 812 1570" data-label="Image"> </div> <div data-bbox="902 1465 1289 1541" data-label="Text"> <p>DTIC QUALITY INSPECTED 2</p> </div>				
14. SUBJECT TERMS			15. NUMBER OF PAGES 2	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

Prof.Dr.Wieslaw Ostachowicz  
Institute of Fluid Flow Machinery  
Polish Academy of Sciences  
ul.Gen.J.Fiszera 14  
80-952 Gdansk, Poland

2 June 1992

R E P O R T  
Ref.SPC-92-4012

*Date of the visit:* 5-7 May 1992  
*Date of the Seminar:* 5 May 1992 (Main Conference Room)  
45 min.+25 min.discussion  
*Place of the Seminar:* Wright-Patterson Air Force Base  
Aeropropulsion Laboratory  
WL/POTC Dayton OH 45433-6563  
*Persons who listened the Seminar:* Capt.Richard Heim and ca 16  
persons(between others Capts.Driver and Murawski)  
Also I met Dr.J.S.Przemieniecki, Senior Dean of the  
Air Force Institute of Technology.

In the first part of the seminar I briefly described activity of the Institute of Fluid Flow Machinery, Polish Academy of Sciences. In particular I presented the activity fields of its 10 departments.

In the second part I presented the following topics:

*- Stress-strain analysis of a turbine blade root*

The object of analysis is stress-strain problem in turbine and compressor blade roots including contact problems. A blade root and a fragment of disk are modelled by 3-dimensional finite elements. We used the finite element with 20 nodes (60 d.o.f). The discrete model contains superelements. On a surface between a blade root and a cut of a disk we introduced special point finite elements which model sliding and broken properties of a joint. Using this model we can calculate stresses including adhesion, sliding (Coulomb forces) and broken contact. The calculations were provided for elastic and elasto-plastic properties of a material. During the seminar I presented results of calculations for the real system.

19961113 152

*- Vibrations of turbine and compressor blades*

The object of analysis are vibrations of blades. Blades were modelled by finite elements. We used 3-dimensional finite elements (8-node, 16-node or 20-node), thick shell finite elements and transition finite elements. We formulated four models of a blade. Each model contained the combination of described above finite elements. We considered separately short and long blades and also special blades (for example the blades of Baumann stage). During the seminar I presented results of calculations for three first natural frequencies. Numerical calculations were compared to experimental results. The best results we obtained for the model which contained both 3-dimensional FE (20-node), thick shell FE and transition FE.

*- Stiffness matrices of cracked finite elements*

A crack in a structure causes local changes in stiffness. These changes, in turn, affect the dynamics of the system. Both frequencies of the natural vibrations and the amplitudes of forced vibrations are changed. During the seminar I presented the method which we used to formulation of stiffness matrices for few cracked elements. I described these matrices for the following finite elements: bar, beam, disk, plate, solid. The examples illustrated the possibilities of calculations and also their accuracy. We compared the results of numerical calculations to analytical results and also to experimental data.

*- Vibrations of a cracked rotor and a cracked turbine blade*

Using described above stiffness matrices we analyzed the influence of cracks on the natural frequencies of torsional and bending vibrations of rotor shaft and turbine blades. Also dynamic instability of cracked beams were considered. During the seminar I presented the results of calculations which illustrated changes of dynamic properties of cracked structures. Natural frequencies decrease their values when the depth of a crack increases. These frequencies also depend on location of cracks. I discussed the results of forced vibrations. In particular I explained the dependence between crack's properties and amplitudes of vibrations. Also the dependence between the regions of dynamic instabilities and crack parameters were discussed.

